



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** Osnovna Šola Franja Malgaja Šentjur  
Ulica skladateljev Ipavcev 2  
Šentjur 3230 Slovenia

Submitted By: Jure Radisek  
Receiving Lab: Poland-Krakow  
Received: February 04, 2019  
Report Date: February 28, 2019  
Page: 1 of 2

## CERTIFICATE OF ANALYSIS

KRA19000020.1

### CLIENT JOB INFORMATION

Project: n/a  
Shipment ID:  
P.O. Number  
Number of Samples: 8

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PULSL	8	Soil Pulverized 100g			VAN
SHP01	8	Per sample shipping charges for branch shipments			KRA
MA200	8	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN
EN001-MA	8	Environmental disposal fee - Multi-acid neutralization			VAN
DISP2	8	Heat treatment of Soils and Sediments			VAN

### ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Osnovna Šola Franja Malgaja Šentjur  
Ulica skladateljev Ipavcev 2  
Šentjur 3230  
Slovenia

CC:

  
JEFFREY CANNON  
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Osnovna Šola Franja Malgaja Šentjur

Ulica skladateljev Ipavcev 2

Šentjur 3230 Slovenia

Project: n/a

Report Date: February 28, 2019

Page: 2 of 2

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

KRA19000020.1

Method	Analyte	WGHT	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	0.1	0.1	0.1	1	0.01	0.001
1 OSFM	Soil	0.03	1.3	49.3	130.7	778	0.2	38.7	12.0	808	3.30	19	2.2	8.9	92	6.0	1.7	0.3	84	1.83	0.168
2 OSFM	Soil	0.03	1.7	32.9	78.1	267	<0.1	29.8	12.7	751	3.21	13	2.4	9.8	93	1.6	1.7	0.3	87	2.54	0.148
3 OSFM	Soil	0.031	2.6	18.8	30.2	128	<0.1	25.0	9.7	562	2.31	8	1.7	6.5	46	1.1	0.8	0.2	57	0.36	0.097
4 OSFM	Soil	0.033	1.7	42.7	48.9	276	<0.1	47.8	13.8	754	3.31	13	2.4	8.8	115	2.0	1.4	0.3	79	1.87	0.213
5 OSFM	Soil	0.033	1.4	30.9	32.7	161	<0.1	44.7	15.0	694	3.26	14	2.2	8.8	98	0.8	1.0	0.5	77	1.27	0.173
6 OSFM	Soil	0.05	1.2	29.2	49.6	209	<0.1	43.2	13.8	641	3.02	13	2.6	8.0	92	1.0	1.4	0.3	78	2.02	0.133
7 OSFM	Soil	0.033	1.1	21.0	53.2	96	<0.1	45.5	16.3	1037	3.55	14	2.4	9.8	80	0.4	1.0	0.2	103	0.86	0.073
8 OSFM	Soil	0.031	1.1	22.4	25.4	115	<0.1	33.5	9.0	340	2.54	9	2.1	4.9	337	1.5	0.7	0.1	46	11.55	0.116



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Osnovna Šola Franja Malgaja Šentjur

Ulica skladateljev Ipavcev 2

Šentjur 3230 Slovenia

Project: n/a

Report Date: February 28, 2019

Page: 2 of 2

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

KRA19000020.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	1	1	1	0.1	0.1	0.1
1 OSFM	Soil	25.7	85	0.77	509	0.323	6.43	0.600	1.86	1.7	49.3	56	3.6	11.4	10.2	0.8	1	10	42.1	<0.1	105.9
2 OSFM	Soil	28.9	78	1.06	420	0.352	6.38	0.567	1.66	1.9	48.1	66	4.5	12.1	10.8	0.8	2	10	43.4	<0.1	98.2
3 OSFM	Soil	21.6	53	0.45	283	0.247	4.46	0.237	1.24	1.1	28.6	48	1.6	9.2	7.0	0.5	1	7	25.5	<0.1	78.0
4 OSFM	Soil	28.2	87	0.89	429	0.286	6.58	0.687	1.83	1.6	46.6	60	3.2	15.1	9.3	0.7	2	11	45.1	<0.1	112.5
5 OSFM	Soil	27.7	78	0.83	397	0.296	6.79	0.796	1.93	1.6	41.2	62	2.7	12.9	8.7	0.7	2	10	42.2	<0.1	109.1
6 OSFM	Soil	24.8	76	1.09	411	0.265	6.18	0.733	1.85	1.5	41.1	52	3.1	12.2	8.2	0.6	2	10	43.5	<0.1	101.8
7 OSFM	Soil	29.8	91	0.80	368	0.343	7.10	0.604	1.76	1.7	50.1	65	2.7	12.9	10.4	0.9	2	11	52.0	<0.1	110.0
8 OSFM	Soil	21.2	55	0.57	212	0.120	3.37	0.270	1.07	0.8	24.3	37	1.4	17.6	4.3	0.4	<1	5	23.5	<0.1	61.9



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Osnovna Šola Franja Malgaja Šentjur  
Ulica skladateljev Ipavcev 2  
Šentjur 3230 Slovenia

Project: n/a  
Report Date: February 28, 2019

Page: 2 of 2

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

KRA1900020.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200
		Hf	In	Re	Se	Te	Tl
Unit		ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.1	0.05	0.005	1	0.5	0.5
1 OSFM	Soil	1.5	0.13	<0.005	<1	<0.5	0.8
2 OSFM	Soil	1.4	0.10	<0.005	1	<0.5	0.8
3 OSFM	Soil	0.8	<0.05	<0.005	<1	<0.5	0.6
4 OSFM	Soil	1.4	0.10	<0.005	<1	<0.5	0.8
5 OSFM	Soil	1.2	0.09	<0.005	<1	<0.5	0.6
6 OSFM	Soil	1.3	0.06	<0.005	<1	<0.5	0.7
7 OSFM	Soil	1.7	0.05	<0.005	<1	<0.5	0.7
8 OSFM	Soil	0.8	0.06	<0.005	<1	0.5	<0.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Osnovna Šola Franja Malgaja Šentjur  
Ulica skladateljev Ipavcev 2  
Šentjur 3230 Slovenia

Project: n/a  
Report Date: February 28, 2019

Page: 1 of 1

Part: 1 of 3

# QUALITY CONTROL REPORT

KRA19000020.1

Method	WGHT	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	0.1	0.1	0.1	1	0.01	0.001	
Pulp Duplicates																					
6 OSFM	Soil	0.05	1.2	29.2	49.6	209	<0.1	43.2	13.8	641	3.02	13	2.6	8.0	92	1.0	1.4	0.3	78	2.02	0.133
REP 6 OSFM	QC		1.4	29.3	50.0	208	<0.1	42.9	13.1	646	2.99	12	2.6	8.2	93	1.3	1.3	0.3	76	1.95	0.134
Reference Materials																					
STD OREAS25A-4A	Standard		2.3	30.7	23.7	41	<0.1	42.7	7.2	471	6.20	9	2.6	13.8	41	<0.1	0.7	0.3	158	0.28	0.048
STD OREAS45E	Standard		2.4	715.8	17.2	43	0.3	444.0	56.0	527	23.88	17	2.2	11.7	14	<0.1	0.9	0.2	313	0.06	0.031
STD OREAS25A-4A Expected			2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5		0.65	0.37	157	0.301	0.048
STD OREAS45E Expected			2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9	0.06	1	0.28	322	0.065	0.034
BLK	Blank		<0.1	<0.1	0.1	<1	<0.1	<0.1	<0.2	2	<0.01	<1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.001	
Prep Wash																					
ROCK-VAN	Prep Blank		1.1	6.0	2.8	35	<0.1	1.6	4.1	655	2.19	2	1.2	3.0	197	<0.1	0.1	<0.1	37	1.54	0.046



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Osnovna Šola Franja Malgaja Šentjur  
Ulica skladateljev Ipavcev 2  
Šentjur 3230 Slovenia

Project: n/a  
Report Date: February 28, 2019

Page: 1 of 1

Part: 2 of 3

# QUALITY CONTROL REPORT

KRA19000020.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1
Pulp Duplicates																					
6 OSFM	Soil	24.8	76	1.09	411	0.265	6.18	0.733	1.85	1.5	41.1	52	3.1	12.2	8.2	0.6	2	10	43.5	<0.1	101.8
REP 6 OSFM	QC	25.7	75	1.08	391	0.264	6.35	0.718	1.82	1.5	41.6	55	3.0	12.0	8.1	0.6	2	9	43.6	<0.1	99.1
Reference Materials																					
STD OREAS25A-4A	Standard	17.9	116	0.31	142	0.903	9.17	0.130	0.45	2.0	144.2	42	3.2	8.5	18.7	1.6	<1	11	35.3	<0.1	54.8
STD OREAS45E	Standard	9.9	1053	0.14	242	0.555	6.46	0.045	0.31	1.0	94.1	23	1.0	7.1	6.1	0.5	<1	85	6.8	<0.1	21.2
STD OREAS25A-4A Expected		21.8	115	0.327	147	0.93	8.87	0.131	0.482	2	155	47.3	4.06	10.5	20.9	1.4	0.93	13.7	36.7	0.047	61
STD OREAS45E Expected		11	979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	23.5	1.32	8.28	6.8	0.54		93	6.58	0.046	21.2
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	0.003	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
Prep Wash																					
ROCK-VAN	Prep Blank	11.7	3	0.44	756	0.198	7.69	3.415	1.65	0.3	53.7	24	0.8	15.2	5.7	0.4	<1	7	3.6	<0.1	37.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Osnovna Šola Franja Malgaja Šentjur  
Ulica skladateljev Ipavcev 2  
Šentjur 3230 Slovenia

Project: n/a  
Report Date: February 28, 2019

Page: 1 of 1

Part: 3 of 3

## QUALITY CONTROL REPORT

KRA19000020.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200
		Hf	In	Re	Se	Te	Ti
Unit		ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.1	0.05	0.005	1	0.5	0.5
Pulp Duplicates							
6 OSFM	Soil	1.3	0.06	<0.005	<1	<0.5	0.7
REP 6 OSFM	QC	1.3	0.06	<0.005	<1	<0.5	0.7
Reference Materials							
STD OREAS25A-4A	Standard	4.2	0.09	<0.005	2	<0.5	<0.5
STD OREAS45E	Standard	2.7	0.09	<0.005	3	<0.5	<0.5
STD OREAS25A-4A Expected		4.14	0.09		2.4		0.35
STD OREAS45E Expected		3.11	0.099		2.97	0.1	0.15
BLK	Blank	<0.1	<0.05	<0.005	<1	<0.5	<0.5
Prep Wash							
ROCK-VAN	Prep Blank	1.7	<0.05	<0.005	<1	<0.5	<0.5